CRF Errors Edited by the STIC Systems Branch

Serial Number: 09/747,287A

CRF Edit Date: 8/13/04
Edited by: AL

ENTERED

___ Realigned amino acid/nucleic acid numbers/text in cases where the sequence text "wrapped" to the next line.

___ Corrected the SEQ ID NO. Sequence numbers edited were:

_____

___ Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited:

_____

___ Deleted: ___ invalid beginning/end-of-file text ; ___ page numbers

___ Inserted mandatory headings/numeric identifiers, specifically:

_____

___ Moved responses to same line as heading/numeric identifier, specifically:

_____

✓ Other: Sequence 9- corrected spelling of "Ala" as "Xaa"
explanation for location 3

Revised 09/09/2003

IFW16

RAW SEQUENCE LISTING   DATE: 08/13/2004
PATENT APPLICATION: US/09/747,287A   TIME: 11:40:58

        Input Set : A:\PTO.AMC.txt
        Output Set: N:\CRF4\08132004\I747287A.raw

   3 <110> APPLICANT: KOMORIYA, AKIRA
   4   PACKARD, BEVERLY S.
   6 <120> TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
   7   ACTIVITY IN BIOLOGICAL SAMPLES
   9 <130> FILE REFERENCE: 300-948600US
  11 <140> CURRENT APPLICATION NUMBER: 09/747,287A
  12 <141> CURRENT FILING DATE: 2000-12-22
  14 <150> PRIOR APPLICATION NUMBER: US 09/349,019
  15 <151> PRIOR FILING DATE: 1999-09-10
  17 <150> PRIOR APPLICATION NUMBER: US08/802,981
  18 <151> PRIOR FILING DATE: 1997-02-20
  20 <150> PRIOR APPLICATION NUMBER: PCT/US00/24882
  21 <151> PRIOR FILING DATE: 2000-09-11
  23 <160> NUMBER OF SEQ ID NOS: 246
  25 <170> SOFTWARE: PatentIn version 3.3
  27 <210> SEQ ID NO: 1
  28 <211> LENGTH: 9
  29 <212> TYPE: PRT
  30 <213> ORGANISM: Artificial
  32 <220> FEATURE:
  33 <223> OTHER INFORMATION: Synthetic peptide.
  36 <220> FEATURE:
  37 <221> NAME/KEY: misc_feature
  38 <222> LOCATION: (5)..(5)
  39 <223> OTHER INFORMATION: Xaa is norleucine
  41 <400> SEQUENCE: 1
W--> 43 Asp Ala Ile Pro Xaa Ser Ile Pro Cys
  44 1   5
  47 <210> SEQ ID NO: 2
  48 <211> LENGTH: 5
  49 <212> TYPE: PRT
  50 <213> ORGANISM: Artificial
  52 <220> FEATURE:
  53 <223> OTHER INFORMATION: Synthetic peptide.
  55 <400> SEQUENCE: 2
  57 Ile Pro Met Ser Ile
  58 1   5
  61 <210> SEQ ID NO: 3
  62 <211> LENGTH: 4
  63 <212> TYPE: PRT
  64 <213> ORGANISM: Artificial
  66 <220> FEATURE:
  67 <223> OTHER INFORMATION: Synthetic peptide.

RAW SEQUENCE LISTING   DATE: 08/13/2004
PATENT APPLICATION: US/09/747,287A   TIME: 11:40:58

Input Set : A:\PTO.AMC.txt
Output Set: N:\CRF4\08132004\I747287A.raw

```
 69 <400> SEQUENCE: 3
 71 Pro Met Ser Ile
 72 1
 75 <210> SEQ ID NO: 4
 76 <211> LENGTH: 4
 77 <212> TYPE: PRT
 78 <213> ORGANISM: Artificial
 80 <220> FEATURE:
 81 <223> OTHER INFORMATION: Synthetic peptide.
 84 <220> FEATURE:
 85 <221> NAME/KEY: misc_feature
 86 <222> LOCATION: (2)..(2)
 87 <223> OTHER INFORMATION: Xaa is norleucine
 89 <400> SEQUENCE: 4
```
W--> 91 **Pro Xaa Ser Ile**
```
 92 1
 95 <210> SEQ ID NO: 5
 96 <211> LENGTH: 9
 97 <212> TYPE: PRT
 98 <213> ORGANISM: Artificial
100 <220> FEATURE:
101 <223> OTHER INFORMATION: Synthetic peptide.
104 <220> FEATURE:
105 <221> NAME/KEY: misc_feature
106 <222> LOCATION: (5)..(5)
107 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
109 <220> FEATURE:
110 <221> NAME/KEY: misc_feature
111 <222> LOCATION: (8)..(8)
112 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
114 <220> FEATURE:
115 <221> NAME/KEY: misc_feature
116 <222> LOCATION: (9)..(9)
117 <223> OTHER INFORMATION: Xaa is Cys or Lys
119 <400> SEQUENCE: 5
```
W--> 121 **Asp Ala Ile Pro Xaa Ser Ile Xaa Xaa**
```
122 1               5
125 <210> SEQ ID NO: 6
126 <211> LENGTH: 9
127 <212> TYPE: PRT
128 <213> ORGANISM: Artificial
130 <220> FEATURE:
131 <223> OTHER INFORMATION: Synthetic peptide.
134 <220> FEATURE:
135 <221> NAME/KEY: misc_feature
136 <222> LOCATION: (2)..(2)
137 <223> OTHER INFORMATION: Xaa is Met, alpha-aminoisobutyric acid, or Pro
139 <220> FEATURE:
140 <221> NAME/KEY: misc_feature
```

```
      141 <222> LOCATION: (3)..(3)
      142 <223> OTHER INFORMATION: Xaa is Thr, alpha-aminoisobutyric acid, or Pro
      144 <220> FEATURE:
      145 <221> NAME/KEY: misc_feature
      146 <222> LOCATION: (8)..(8)
      147 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
      149 <220> FEATURE:
      150 <221> NAME/KEY: misc_feature
      151 <222> LOCATION: (9)..(9)
      152 <223> OTHER INFORMATION: Xaa is Cys or Lys
      154 <400> SEQUENCE: 6
W--> 156 Asp Xaa Xaa Gly Arg Thr Gly Xaa Xaa
      157 1               5
      160 <210> SEQ ID NO: 7
      161 <211> LENGTH: 9
      162 <212> TYPE: PRT
      163 <213> ORGANISM: Artificial
      165 <220> FEATURE:
      166 <223> OTHER INFORMATION: Synthetic peptide.
      169 <220> FEATURE:
      170 <221> NAME/KEY: misc_feature
      171 <222> LOCATION: (2)..(2)
      172 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid or Ala
      174 <220> FEATURE:
      175 <221> NAME/KEY: misc_feature
      176 <222> LOCATION: (3)..(3)
      177 <223> OTHER INFORMATION: Xaa is Thr, alpha-aminoisobutyric acid, or Pro
      179 <220> FEATURE:
      180 <221> NAME/KEY: misc_feature
      181 <222> LOCATION: (6)..(6)
      182 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
      184 <220> FEATURE:
      185 <221> NAME/KEY: misc_feature
      186 <222> LOCATION: (8)..(8)
      187 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
      189 <220> FEATURE:
      190 <221> NAME/KEY: misc_feature
      191 <222> LOCATION: (9)..(9)
      192 <223> OTHER INFORMATION: Xaa is Cys or Lys
      194 <400> SEQUENCE: 7
W--> 196 Asp Xaa Xaa Phe Cys Xaa Leu Xaa Xaa
      197 1               5
      200 <210> SEQ ID NO: 8
      201 <211> LENGTH: 9
      202 <212> TYPE: PRT
      203 <213> ORGANISM: Artificial
      205 <220> FEATURE:
      206 <223> OTHER INFORMATION: Synthetic peptide.
      209 <220> FEATURE:
```

```
210 <221> NAME/KEY: misc_feature
211 <222> LOCATION: (2)..(2)
212 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
214 <220> FEATURE:
215 <221> NAME/KEY: misc_feature
216 <222> LOCATION: (3)..(3)
217 <223> OTHER INFORMATION: Xaa is Ser, alpha-aminoisobutyric acid, or Pro
219 <220> FEATURE:
220 <221> NAME/KEY: misc_feature
221 <222> LOCATION: (5)..(5)
222 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
224 <220> FEATURE:
225 <221> NAME/KEY: misc_feature
226 <222> LOCATION: (8)..(8)
227 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
229 <220> FEATURE:
230 <221> NAME/KEY: misc_feature
231 <222> LOCATION: (9)..(9)
232 <223> OTHER INFORMATION: Xaa is Cys or Lys
234 <400> SEQUENCE: 8
```
W--> **236 Asp Xaa Xaa Arg Xaa Ser Leu Xaa Xaa**
```
237 1                5
240 <210> SEQ ID NO: 9
241 <211> LENGTH: 9
242 <212> TYPE: PRT
243 <213> ORGANISM: Artificial
245 <220> FEATURE:
246 <223> OTHER INFORMATION: Synthetic peptide.
249 <220> FEATURE:
250 <221> NAME/KEY: misc_feature
251 <222> LOCATION: (2)..(2)
252 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid, or Ile
254 <220> FEATURE:
255 <221> NAME/KEY: misc_feature
256 <222> LOCATION: (3)..(3)
257 <223> OTHER INFORMATION: Xaa is Ala, alpha-aminoisobutyric acid, or Pro
259 <220> FEATURE:
260 <221> NAME/KEY: misc_feature
261 <222> LOCATION: (8)..(8)
262 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
264 <220> FEATURE:
265 <221> NAME/KEY: misc_feature
266 <222> LOCATION: (9)..(9)
267 <223> OTHER INFORMATION: Xaa is Cys or Lys
269 <400> SEQUENCE: 9
```
W--> **271 Asp Xaa Xaa Gly Arg Ser Leu Xaa Xaa**
```
272 1                5
275 <210> SEQ ID NO: 10
276 <211> LENGTH: 9
```

```
277 <212> TYPE: PRT
278 <213> ORGANISM: Artificial
280 <220> FEATURE:
281 <223> OTHER INFORMATION: Synthetic peptide.
284 <220> FEATURE:
285 <221> NAME/KEY: misc_feature
286 <222> LOCATION: (2)..(2)
287 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
289 <220> FEATURE:
290 <221> NAME/KEY: misc_feature
291 <222> LOCATION: (3)..(3)
292 <223> OTHER INFORMATION: Xaa is Thr, alpha-aminoisobutyric acid, or Pro
294 <220> FEATURE:
295 <221> NAME/KEY: misc_feature
296 <222> LOCATION: (8)..(8)
297 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
299 <220> FEATURE:
300 <221> NAME/KEY: misc_feature
301 <222> LOCATION: (9)..(9)
302 <223> OTHER INFORMATION: Xaa is Cys or Lys
304 <400> SEQUENCE: 10
```

W--> 306 Asp Xaa Xaa Leu Leu Ser Leu Xaa Xaa
     307 1   5

```
310 <210> SEQ ID NO: 11
311 <211> LENGTH: 9
312 <212> TYPE: PRT
313 <213> ORGANISM: Artificial
315 <220> FEATURE:
316 <223> OTHER INFORMATION: Synthetic peptide.
319 <220> FEATURE:
320 <221> NAME/KEY: misc_feature
321 <222> LOCATION: (2)..(2)
322 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid, or Gly
324 <220> FEATURE:
325 <221> NAME/KEY: misc_feature
326 <222> LOCATION: (3)..(3)
327 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid, or Pro
329 <220> FEATURE:
330 <221> NAME/KEY: misc_feature
331 <222> LOCATION: (8)..(8)
332 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
334 <220> FEATURE:
335 <221> NAME/KEY: misc_feature
336 <222> LOCATION: (9)..(9)
337 <223> OTHER INFORMATION: Xaa is Cys or Lys
339 <400> SEQUENCE: 11
```

W--> 341 Asp Xaa Xaa Leu Gly Ile Ala Xaa Xaa
     342 1   5

```
345 <210> SEQ ID NO: 12
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 08/13/2004
PATENT APPLICATION: US/09/747,287A   TIME: 11:40:59

Input Set : **A:\PTO.AMC.txt**
Output Set: **N:\CRF4\08132004\I747287A.raw**

<u>Please Note:</u>
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 5
Seq#:4; Xaa Pos. 2
Seq#:5; Xaa Pos. 5,8,9
Seq#:6; Xaa Pos. 2,3,8,9
Seq#:7; Xaa Pos. 2,3,6,8,9
Seq#:8; Xaa Pos. 2,3,5,8,9
Seq#:9; Xaa Pos. 2,3,8,9
Seq#:10; Xaa Pos. 2,3,8,9
Seq#:11; Xaa Pos. 2,3,8,9
Seq#:12; Xaa Pos. 2,3,8,9
Seq#:13; Xaa Pos. 2,3,8,9
Seq#:14; Xaa Pos. 2,3,8,9
Seq#:15; Xaa Pos. 2,3,8,9
Seq#:16; Xaa Pos. 2,3,8,9
Seq#:17; Xaa Pos. 2,3,8,9
Seq#:18; Xaa Pos. 2,3,8,9
Seq#:19; Xaa Pos. 2,3,7,8,9
Seq#:20; Xaa Pos. 2,3,8,9
Seq#:21; Xaa Pos. 2,3,8,9
Seq#:22; Xaa Pos. 2,3,8,9
Seq#:23; Xaa Pos. 2,3,8,9
Seq#:24; Xaa Pos. 2,3,8,9
Seq#:25; Xaa Pos. 2,3,8,9
Seq#:26; Xaa Pos. 2,3,8,9
Seq#:27; Xaa Pos. 2,3,8,9
Seq#:28; Xaa Pos. 2,3,8,9
Seq#:29; Xaa Pos. 2,3,8,9
Seq#:30; Xaa Pos. 2,3,8,9
Seq#:31; Xaa Pos. 2,3,8,9
Seq#:32; Xaa Pos. 2,3,8,9
Seq#:33; Xaa Pos. 2,3,8,9
Seq#:34; Xaa Pos. 2,3,8,9
Seq#:46; Xaa Pos. 6
Seq#:48; Xaa Pos. 4
Seq#:49; Xaa Pos. 4
Seq#:51; Xaa Pos. 4,14
Seq#:52; Xaa Pos. 4,14,16
Seq#:53; Xaa Pos. 4,6,15
Seq#:54; Xaa Pos. 4
Seq#:55; Xaa Pos. 13
Seq#:56; Xaa Pos. 4,14,16
Seq#:57; Xaa Pos. 4,14
Seq#:58; Xaa Pos. 4,7,14
Seq#:59; Xaa Pos. 4,6,9,14

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 08/13/2004
PATENT APPLICATION: US/09/747,287A   TIME: 11:40:59

Input Set : A:\PTO.AMC.txt
Output Set: N:\CRF4\08132004\I747287A.raw

```
Seq#:60; Xaa Pos. 4,14
Seq#:61; Xaa Pos. 4,14
Seq#:62; Xaa Pos. 4,14
Seq#:63; Xaa Pos. 4,14
Seq#:64; Xaa Pos. 4,14
Seq#:65; Xaa Pos. 4,5,14,15
Seq#:66; Xaa Pos. 4,14
```

Invalid <213> Response:
Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

```
Seq#:1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
Seq#:28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51
Seq#:52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75
Seq#:76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99
Seq#:100,101,102,103,104,105,106,107,108,109,110,111,112,113,114,115,116,117
Seq#:118,119,120,121,122,123,124,125,126,127,128,129,130,131,132,133,134,135
Seq#:136,137,138,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153
Seq#:154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171
Seq#:172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189
Seq#:190,191,192,193,194,195,196,197,198,199,200,201,202,203,204,205,206,207
Seq#:208,209,210,211,212,213,214,215,216,217,218,219,220,221,222,223,224,225
Seq#:226,227,228,229,230,231,232,233,234,235,236,237,238,239,240,241,242,243
Seq#:244,245,246
```

```
L:43 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:91 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:121 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:156 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:236 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:271 M:341 W: (46) "n" or "Xaa" used, ·for SEQ ID#:9 after pos.:0
L:306 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:341 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:376 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:411 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:446 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:481 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:516 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:551 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:586 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:626 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:661 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:696 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:731 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:766 M:341 W: (46) "n" or "Xaa"·used, for SEQ ID#:23 after pos.:0
L:801 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:836 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:871 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:906 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:941 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:976 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:1011 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:1046 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:1081 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:1116 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:1151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
L:1325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:0
L:1359 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:48 after pos.:0
L:1383 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:0
L:1426 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:0
L:1460 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:0
L:1490 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53 after pos.:0
L:1514 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:54 after pos.:0
L:1538 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:0
L:1572 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:56 after pos.:0
L:1597 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:57 after pos.:0
L:1631 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:58 after pos.:0
L:1670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:59 after pos.:0
L:1699 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:60 after pos.:0
L:1728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:61 after pos.:0
L:1757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:62 after pos.:0
L:1786 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:63 after pos.:0
```

VERIFICATION SUMMARY   DATE: 08/13/2004
PATENT APPLICATION: **US/09/747,287A**   TIME: 11:40:59

Input Set : **A:\PTO.AMC.txt**
Output Set: **N:\CRF4\08132004\I747287A.raw**

L:1815 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:64 after pos.:0
L:1844 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65 after pos.:0

IFW16

RAW SEQUENCE LISTING   DATE: 08/12/2004
PATENT APPLICATION: **US/09/747,287A**   TIME: 15:22:38

Input Set : **A:\300-948600US.txt**
Output Set: **N:\CRF4\08122004\I747287A.raw**

```
 3 <110> APPLICANT: KOMORIYA, AKIRA
 4         PACKARD, BEVERLY S.
 6 <120> TITLE OF INVENTION: HOMO-DOUBLY LABELED COMPOSITIONS FOR THE DETECTION OF ENZYME
 7         ACTIVITY IN BIOLOGICAL SAMPLES
 9 <130> FILE REFERENCE: 300-948600US
11 <140> CURRENT APPLICATION NUMBER: 09/747,287A
12 <141> CURRENT FILING DATE: 2000-12-22
14 <150> PRIOR APPLICATION NUMBER: US 09/349,019
15 <151> PRIOR FILING DATE: 1999-09-10
17 <150> PRIOR APPLICATION NUMBER: US08/802,981
18 <151> PRIOR FILING DATE: 1997-02-20
20 <150> PRIOR APPLICATION NUMBER: PCT/US00/24882
21 <151> PRIOR FILING DATE: 2000-09-11
23 <160> NUMBER OF SEQ ID NOS: 246
25 <170> SOFTWARE: PatentIn version 3.3
27 <210> SEQ ID NO: 1
28 <211> LENGTH: 9
29 <212> TYPE: PRT
30 <213> ORGANISM: Artificial
32 <220> FEATURE:
33 <223> OTHER INFORMATION: Synthetic peptide.
36 <220> FEATURE:
37 <221> NAME/KEY: misc_feature
38 <222> LOCATION: (5)..(5)
39 <223> OTHER INFORMATION: Xaa is norleucine
41 <400> SEQUENCE: 1
```

W--> **43 Asp Ala Ile Pro Xaa Ser Ile Pro Cys**

```
44 1               5
47 <210> SEQ ID NO: 2
48 <211> LENGTH: 5
49 <212> TYPE: PRT
50 <213> ORGANISM: Artificial
52 <220> FEATURE:
53 <223> OTHER INFORMATION: Synthetic peptide.
55 <400> SEQUENCE: 2
57 Ile Pro Met Ser Ile
58 1               5
61 <210> SEQ ID NO: 3
62 <211> LENGTH: 4
63 <212> TYPE: PRT
64 <213> ORGANISM: Artificial
66 <220> FEATURE:
67 <223> OTHER INFORMATION: Synthetic peptide.
```

RAW SEQUENCE LISTING   DATE: 08/12/2004
PATENT APPLICATION: US/09/747,287A   TIME: 15:22:38

Input Set : A:\300-948600US.txt
Output Set: N:\CRF4\08122004\I747287A.raw

```
 69 <400> SEQUENCE: 3
 71 Pro Met Ser Ile
 72 1
 75 <210> SEQ ID NO: 4
 76 <211> LENGTH: 4
 77 <212> TYPE: PRT
 78 <213> ORGANISM: Artificial
 80 <220> FEATURE:
 81 <223> OTHER INFORMATION: Synthetic peptide.
 84 <220> FEATURE:
 85 <221> NAME/KEY: misc_feature
 86 <222> LOCATION: (2)..(2)
 87 <223> OTHER INFORMATION: Xaa is norleucine
 89 <400> SEQUENCE: 4
```
W--> 91 **Pro Xaa Ser Ile**
```
 92 1
 95 <210> SEQ ID NO: 5
 96 <211> LENGTH: 9
 97 <212> TYPE: PRT
 98 <213> ORGANISM: Artificial
100 <220> FEATURE:
101 <223> OTHER INFORMATION: Synthetic peptide.
104 <220> FEATURE:
105 <221> NAME/KEY: misc_feature
106 <222> LOCATION: (5)..(5)
107 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
109 <220> FEATURE:
110 <221> NAME/KEY: misc_feature
111 <222> LOCATION: (8)..(8)
112 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
114 <220> FEATURE:
115 <221> NAME/KEY: misc_feature
116 <222> LOCATION: (9)..(9)
117 <223> OTHER INFORMATION: Xaa is Cys or Lys
119 <400> SEQUENCE: 5
```
W--> 121 **Asp Ala Ile Pro Xaa Ser Ile Xaa Xaa**
```
122 1               5
125 <210> SEQ ID NO: 6
126 <211> LENGTH: 9
127 <212> TYPE: PRT
128 <213> ORGANISM: Artificial
130 <220> FEATURE:
131 <223> OTHER INFORMATION: Synthetic peptide.
134 <220> FEATURE:
135 <221> NAME/KEY: misc_feature
136 <222> LOCATION: (2)..(2)
137 <223> OTHER INFORMATION: Xaa is Met, alpha-aminoisobutyric acid, or Pro
139 <220> FEATURE:
140 <221> NAME/KEY: misc_feature
```

RAW SEQUENCE LISTING   DATE: 08/12/2004
PATENT APPLICATION: US/09/747,287A   TIME: 15:22:38

Input Set : A:\300-948600US.txt
Output Set: N:\CRF4\08122004\I747287A.raw

```
141 <222> LOCATION: (3)..(3)
142 <223> OTHER INFORMATION: Xaa is Thr, alpha-aminoisobutyric acid, or Pro
144 <220> FEATURE:
145 <221> NAME/KEY: misc_feature
146 <222> LOCATION: (8)..(8)
147 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
149 <220> FEATURE:
150 <221> NAME/KEY: misc_feature
151 <222> LOCATION: (9)..(9)
152 <223> OTHER INFORMATION: Xaa is Cys or Lys
154 <400> SEQUENCE: 6
```
W--> 156 **Asp Xaa Xaa Gly Arg Thr Gly Xaa Xaa**
```
157 1               5
160 <210> SEQ ID NO: 7
161 <211> LENGTH: 9
162 <212> TYPE: PRT
163 <213> ORGANISM: Artificial
165 <220> FEATURE:
166 <223> OTHER INFORMATION: Synthetic peptide.
169 <220> FEATURE:
170 <221> NAME/KEY: misc_feature
171 <222> LOCATION: (2)..(2)
172 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid or Ala
174 <220> FEATURE:
175 <221> NAME/KEY: misc_feature
176 <222> LOCATION: (3)..(3)
177 <223> OTHER INFORMATION: Xaa is Thr, alpha-aminoisobutyric acid, or Pro
179 <220> FEATURE:
180 <221> NAME/KEY: misc_feature
181 <222> LOCATION: (6)..(6)
182 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
184 <220> FEATURE:
185 <221> NAME/KEY: misc_feature
186 <222> LOCATION: (8)..(8)
187 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
189 <220> FEATURE:
190 <221> NAME/KEY: misc_feature
191 <222> LOCATION: (9)..(9)
192 <223> OTHER INFORMATION: Xaa is Cys or Lys
194 <400> SEQUENCE: 7
```
W--> 196 **Asp Xaa Xaa Phe Cys Xaa Leu Xaa Xaa**
```
197 1               5
200 <210> SEQ ID NO: 8
201 <211> LENGTH: 9
202 <212> TYPE: PRT
203 <213> ORGANISM: Artificial
205 <220> FEATURE:
206 <223> OTHER INFORMATION: Synthetic peptide.
209 <220> FEATURE:
```

RAW SEQUENCE LISTING   DATE: 08/12/2004
PATENT APPLICATION: US/09/747,287A   TIME: 15:22:38

            Input Set : A:\300-948600US.txt
            Output Set: N:\CRF4\08122004\I747287A.raw

```
210 <221> NAME/KEY: misc_feature
211 <222> LOCATION: (2)..(2)
212 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
214 <220> FEATURE:
215 <221> NAME/KEY: misc_feature
216 <222> LOCATION: (3)..(3)
217 <223> OTHER INFORMATION: Xaa is Ser, alpha-aminoisobutyric acid, or Pro
219 <220> FEATURE:
220 <221> NAME/KEY: misc_feature
221 <222> LOCATION: (5)..(5)
222 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
224 <220> FEATURE:
225 <221> NAME/KEY: misc_feature
226 <222> LOCATION: (8)..(8)
227 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
229 <220> FEATURE:
230 <221> NAME/KEY: misc_feature
231 <222> LOCATION: (9)..(9)
232 <223> OTHER INFORMATION: Xaa is Cys or Lys
234 <400> SEQUENCE: 8
W--> 236 Asp Xaa Xaa Arg Xaa Ser Leu Xaa Xaa
237 1               5
240 <210> SEQ ID NO: 9
241 <211> LENGTH: 9
242 <212> TYPE: PRT
243 <213> ORGANISM: Artificial
245 <220> FEATURE:
246 <223> OTHER INFORMATION: Synthetic peptide.
249 <220> FEATURE:
250 <221> NAME/KEY: misc_feature
251 <222> LOCATION: (2)..(2)
252 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid, or Ile
254 <220> FEATURE:
255 <221> NAME/KEY: misc_feature
256 <222> LOCATION: (3)..(3)
257 <223> OTHER INFORMATION: Xaa is Alar, alpha-aminoisobutyric acid, or Pro
259 <220> FEATURE:
260 <221> NAME/KEY: misc_feature
261 <222> LOCATION: (8)..(8)
262 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
264 <220> FEATURE:
265 <221> NAME/KEY: misc_feature
266 <222> LOCATION: (9)..(9)
267 <223> OTHER INFORMATION: Xaa is Cys or Lys
269 <400> SEQUENCE: 9
W--> 271 Asp Xaa Xaa Gly Arg Ser Leu Xaa Xaa
272 1               5
275 <210> SEQ ID NO: 10
276 <211> LENGTH: 9
```

(handwritten annotation near line 255-257: "Ala" with "Alar" circled)

RAW SEQUENCE LISTING   DATE: 08/12/2004
PATENT APPLICATION: US/09/747,287A   TIME: 15:22:38

Input Set : A:\300-948600US.txt
Output Set: N:\CRF4\08122004\I747287A.raw

```
277 <212> TYPE: PRT
278 <213> ORGANISM: Artificial
280 <220> FEATURE:
281 <223> OTHER INFORMATION: Synthetic peptide.
284 <220> FEATURE:
285 <221> NAME/KEY: misc_feature
286 <222> LOCATION: (2)..(2)
287 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid
289 <220> FEATURE:
290 <221> NAME/KEY: misc_feature
291 <222> LOCATION: (3)..(3)
292 <223> OTHER INFORMATION: Xaa is Thr, alpha-aminoisobutyric acid, or Pro
294 <220> FEATURE:
295 <221> NAME/KEY: misc_feature
296 <222> LOCATION: (8)..(8)
297 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
299 <220> FEATURE:
300 <221> NAME/KEY: misc_feature
301 <222> LOCATION: (9)..(9)
302 <223> OTHER INFORMATION: Xaa is Cys or Lys
304 <400> SEQUENCE: 10
W--> 306 Asp Xaa Xaa Leu Leu Ser Leu Xaa Xaa
307 1                   5
310 <210> SEQ ID NO: 11
311 <211> LENGTH: 9
312 <212> TYPE: PRT
313 <213> ORGANISM: Artificial
315 <220> FEATURE:
316 <223> OTHER INFORMATION: Synthetic peptide.
319 <220> FEATURE:
320 <221> NAME/KEY: misc_feature
321 <222> LOCATION: (2)..(2)
322 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid, or Gly
324 <220> FEATURE:
325 <221> NAME/KEY: misc_feature
326 <222> LOCATION: (3)..(3)
327 <223> OTHER INFORMATION: Xaa is alpha-aminoisobutyric acid, or Pro
329 <220> FEATURE:
330 <221> NAME/KEY: misc_feature
331 <222> LOCATION: (8)..(8)
332 <223> OTHER INFORMATION: Xaa is Pro or alpha-aminoisobutyric acid
334 <220> FEATURE:
335 <221> NAME/KEY: misc_feature
336 <222> LOCATION: (9)..(9)
337 <223> OTHER INFORMATION: Xaa is Cys or Lys
339 <400> SEQUENCE: 11
W--> 341 Asp Xaa Xaa Leu Gly Ile Ala Xaa Xaa
342 1                   5
345 <210> SEQ ID NO: 12
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 08/12/2004
PATENT APPLICATION: **US/09/747,287A**   TIME: 15:22:39

Input Set : **A:\300-948600US.txt**
Output Set: **N:\CRF4\08122004\I747287A.raw**

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 5
Seq#:4; Xaa Pos. 2
Seq#:5; Xaa Pos. 5,8,9
Seq#:6; Xaa Pos. 2,3,8,9
Seq#:7; Xaa Pos. 2,3,6,8,9
Seq#:8; Xaa Pos. 2,3,5,8,9
Seq#:9; Xaa Pos. 2,3,8,9
Seq#:10; Xaa Pos. 2,3,8,9
Seq#:11; Xaa Pos. 2,3,8,9
Seq#:12; Xaa Pos. 2,3,8,9
Seq#:13; Xaa Pos. 2,3,8,9
Seq#:14; Xaa Pos. 2,3,8,9
Seq#:15; Xaa Pos. 2,3,8,9
Seq#:16; Xaa Pos. 2,3,8,9
Seq#:17; Xaa Pos. 2,3,8,9
Seq#:18; Xaa Pos. 2,3,8,9
Seq#:19; Xaa Pos. 2,3,7,8,9
Seq#:20; Xaa Pos. 2,3,8,9
Seq#:21; Xaa Pos. 2,3,8,9
Seq#:22; Xaa Pos. 2,3,8,9
Seq#:23; Xaa Pos. 2,3,8,9
Seq#:24; Xaa Pos. 2,3,8,9
Seq#:25; Xaa Pos. 2,3,8,9
Seq#:26; Xaa Pos. 2,3,8,9
Seq#:27; Xaa Pos. 2,3,8,9
Seq#:28; Xaa Pos. 2,3,8,9
Seq#:29; Xaa Pos. 2,3,8,9
Seq#:30; Xaa Pos. 2,3,8,9
Seq#:31; Xaa Pos. 2,3,8,9
Seq#:32; Xaa Pos. 2,3,8,9
Seq#:33; Xaa Pos. 2,3,8,9
Seq#:34; Xaa Pos. 2,3,8,9
Seq#:46; Xaa Pos. 6
Seq#:48; Xaa Pos. 4
Seq#:49; Xaa Pos. 4
Seq#:51; Xaa Pos. 4,14
Seq#:52; Xaa Pos. 4,14,16
Seq#:53; Xaa Pos. 4,6,15
Seq#:54; Xaa Pos. 4
Seq#:55; Xaa Pos. 13
Seq#:56; Xaa Pos. 4,14,16
Seq#:57; Xaa Pos. 4,14
Seq#:58; Xaa Pos. 4,7,14
Seq#:59; Xaa Pos. 4,6,9,14

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 08/12/2004
PATENT APPLICATION: US/09/747,287A   TIME: 15:22:39

Input Set : **A:\300-948600US.txt**
Output Set: **N:\CRF4\08122004\I747287A.raw**

Seq#:60; Xaa Pos. 4,14
Seq#:61; Xaa Pos. 4,14
Seq#:62; Xaa Pos. 4,14
Seq#:63; Xaa Pos. 4,14
Seq#:64; Xaa Pos. 4,14
Seq#:65; Xaa Pos. 4,5,14,15
Seq#:66; Xaa Pos. 4,14

Invalid <213> Response:
Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27
Seq#:28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51
Seq#:52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75
Seq#:76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99
Seq#:100,101,102,103,104,105,106,107,108,109,110,111,112,113,114,115,116,117
Seq#:118,119,120,121,122,123,124,125,126,127,128,129,130,131,132,133,134,135
Seq#:136,137,138,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153
Seq#:154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171
Seq#:172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189
Seq#:190,191,192,193,194,195,196,197,198,199,200,201,202,203,204,205,206,207
Seq#:208,209,210,211,212,213,214,215,216,217,218,219,220,221,222,223,224,225
Seq#:226,227,228,229,230,231,232,233,234,235,236,237,238,239,240,241,242,243
Seq#:244,245,246

VERIFICATION SUMMARY   DATE: 08/12/2004
PATENT APPLICATION: **US/09/747,287A**   TIME: 15:22:39

Input Set : **A:\300-948600US.txt**
Output Set: **N:\CRF4\08122004\I747287A.raw**

```
L:43 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:91 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:121 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:156 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:236 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:271 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:306 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:341 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:376 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:411 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:446 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:481 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:516 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:551 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:586 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:626 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:661 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:696 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:731 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:766 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:801 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:836 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:871 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:906 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:941 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:976 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:1011 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:1046 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:1081 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:1116 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:1151 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
L:1325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:0
L:1359 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:48 after pos.:0
L:1383 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:0
L:1426 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:0
L:1460 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:0
L:1490 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53 after pos.:0
L:1514 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:54 after pos.:0
L:1538 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:0
L:1572 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:56 after pos.:0
L:1597 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:57 after pos.:0
L:1631 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:58 after pos.:0
L:1670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:59 after pos.:0
L:1699 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:60 after pos.:0
L:1728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:61 after pos.:0
L:1757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:62 after pos.:0
L:1786 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:63 after pos.:0
```

VERIFICATION SUMMARY   DATE: 08/12/2004
PATENT APPLICATION: **US/09/747,287A**   TIME: 15:22:39

Input Set : **A:\300-948600US.txt**
Output Set: **N:\CRF4\08122004\I747287A.raw**

L:1815 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:64 after pos.:0
L:1844 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65 after pos.:0